Sheet 1 of 2 ATTY. DOCKET NO. SERIAL NO. 065477-0032 10/579,543 INFORMATION DISCLOSURE STATEMENT Form PTO-1449 (Use several sheets if necessary) **APPLICANT** Per Sonne Holm FILING DATE **GROUP** 05-15-2006 1632 **U.S. PATENT DOCUMENTS** DOCUMENT DATE NAME CLASS SUB FILING DATE IF EXAMINER CLAS **APPROPRIATE** INITIAL NUMBER U.S. PATENT APPLICATION PUBLICATIONS NAME FILING DATE IF DOCUMENT DATE CLASS SUB CLASS **EXAMINER** INITIAL NUMBER **APPROPRIATE FOREIGN PATENT DOCUMENTS** DATE CLASS TRANSLATION DOCUMENT NUMBER COUNTRY SU YES NO В CL AS S

,Receipt date: 01/2

Receipt date: 01/22/2008

10579543 - GAU: 1632 Serial No. 10/579,543 Docket No. 065477-0032 Information Disclosure Statement Page 4 of 6

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)	
/M.S./ T	Fadlo R. Khuri et al., A controlled trial of intratumoral ONYX-015, Nature Medicine 6, 879-85, (Au 2000)
	John A. Howe et al., Evaluation of E1-Mutan Adenoviruses as Conditionally Replicating Agents for Cancer Therapy, Molecular Therapy Vol. 2, 485-95, (Nov. 2000)
	Cristina Balagué et al., Human Papillomavirus E6E7-Mediated Adenovirus Cell Killing, J. of Virology Vol. 75 No. 16, 7602-11, (Aug. 2001)
	Ulrike Stein et al., Hyperthermia-induced Nuclear Translocation of Transcription Factor YB-1 Leads to Enhanced Expression of Multidrug Resistance-related ABC Transporters, J. of Biological Chemistry, Vo 276 No. 30, 28562-69, (Jul. 2001)
	Scott M. Wilhelm et al., Bay 43-9006 Exhibits Broad Spectrum Oral Antitumor Activity and Targets the RAF/MEK/ERK Pathway and Receptor Tyrosine Kinases Involved in Tumor Progression and Angiogenesis, Cancer Research. 64, 7099-109, (Oct. 2004)
	Andrew Fribley et al., Proteasome Inhibitor PS-341 Induces Apoptosis through Induction of Endoplasmic Reticulum Stress-Reactive Oxygen Species in Head and Neck Squamous Cell Carcinon Cells, Molecular and Cellular Biology Vol. 24 No. 22, 9695-704 (Nov. 2004)
	Kevin Camphausen et al., Enhancement of Xenograft Tumor Radiosensitivity by the Histone Deacetylase Inhibitor MS-275 and Correlation with Histone Hyperacetylation, Clinical Cancer Research, Vol. 10, 6066-71 (Sept. 2004)
	Sylvie Wittman et al., Flavopiridol Down-Regulates Antiapoptotic Proteins and Sensitizes Human Breat Cancer Cells to Epothilone B-induced Apoptosis, Cancer Research Vol. 63, 93-99 (Jan. 2003)
	Judith Clancy Keen et al., A novel histone deacetylase inhibitor, Scriptaid, enhances expression of functional estrogen receptor α (ER) in ER negative human breast cancer cells in combination with 5 aza 2'-deoxycytidine, Breast Cancer Research and Treatment Vol. 81, 177-86, (2003)
	Seong Hwan Kim et al., <i>Apicidin is a histone deacetylase inhibitor with anti-invasive and anti-angiogenic potentials</i> , Biochemical and Biophysical Research Communications Vol. 315, 964-70 (2004)
	Emmanuelle Querido et al., <i>Identification of Three Functions of the Adenovirus E4orf6 Protein That Mediate p53 Degradation by the E4orf6-E1B55K Complex</i> , J.of Virology, Vol. 75 No. 2, 699-709 (Jan. 2001)
	Pierre A. Boulanger and Eric G. Blair, Expression and interactions of human adenovirus oncoproteins, Biochemistry J.Vol. 275, 281-99 (1991)
	Joan A. Howe et al., Evaluation of El-Mutant Adenoviruses as Conditionally Replicating Agents for Cancer Therapy, Molecular Therapy Vol. 2, 485-95 (Nov. 2000)
	W.C. Russell, <i>Update on adenovirus and its vectors</i> , J. of Virology, Vol. 81, 2573-2604 (2000)
	Ann E.Tollefson et al., The Adenovirus Death Protein (E3-11.6K) Is Required at Very Late Stages of Infection for Efficient Cell Lysis and Release of Adenovirus from Infected Cells, J. of Virology, Vol. 70, 2296-2306 (Apr. 1996)
	Ramya Sundararajan and Eileen White, E1B 19K Blocks Bax Oligomerization and Tumor Necrosis Factor Alpha-Medicated Apoptsis, J. of Virology, Vol. 75 No. 16, 7506-16 (Aug. 2001)
	V. Descamps et al., <i>Strategies for cancer gene therapy using adenoviral vectors</i> , J. Mol. Med., Vol. 74, 183-89 (1996)
	Anish Sen Majumdar et al., Efficacy of herpes sumplex virus thymidine kinase in combination with cytokine gene therapy in an experimental metastatic breast cancer model, Cancer Gene Therapy, Vo. 7, 1086-99 (2000)

Receipt date: 01/22/2008

10579543 - GAU: 1632 Serial No. 10/579,543 Docket No. 065477-0032 Information Disclosure Statement Page 5 of 6

/M.S./	Xinqiao Zhang et al., Adenoviral-mediated Retinoblastoma 94 Produces Rapid Telomere Erosion, Chromosomal Crisis, and Caspase-dependent Apoptosis in Bladder Cancer and Immortalized Human Urothelial Cells but not in Normal Urothlial Cells, Cancer Research, Vol 63, 760-65 (Feb. 2003)
	Karoly Toth et al., Radiation increases the activity of oncolytic adenovirus cancer gene therapy vectors that overexpress the ADP (E3-11.6K) protein, Cancer Gene Therapy, Vol. 10, 193-200 (2003)
	T.Yamaguchi et al., Enhancement of thymidine kinase-mediated killing of malignant glioma by BimS, a BH3-only cell death activator, Gene Therapy, Vol. 10, 375-85 (2003)
	Lin Ji et al., Induction of Apoptosis and Inhibition of Tumorigenicity and Tumor Growth by Adenovirus Vector-mediated Fragile Histidine Triad (FHIT) Gene Overexpression, Cancer Research, Vol. 59, 3333-39 (Jul. 1999)
	Zao-Zhong Su et al., Melanoma differentiation associated gene-7, mda-7/IL-24, selectively induces growth suppression, apoptosis and radiosensitization in malignant gliomas in a p53-independent manner, Oncogene, Vol. 22, 1164-1180 (2003)
	Matti Ahonen et al., Antihumor Activity and Bystander effect of Adenovirally Delivered Tissue Inhibitor of Metalloproteinases-3, Molecular Therapy, Vol. 5 No. 6, 705-15, (June 2002)
	Gerald A. Soff et al., Expression of Plasminogen Activator Inhibitor Type 1 by Human Prostate Carcinoma Cells Inhibits Primary Tumor Growth, Tumor-associated Angiogenesis, and Metastasis to Lung and Liver in an Athyymic Mouse Model, J. Clinical Investigation, Vol. 96, 2593-2600 (Dec. 1995)
	Athina Efthymiadis, Lyndall J.Briggs, and David A. Jans, <i>The HIV-1 Tat Nuclear Localization Sequence Confers Novel Nuclear Import Properties</i> , J. of Biological Chemistry, Vol. 273 No. 3, 1623-28 (Jan. 1998)
	Joann Tufariello, Sangho Cho, and Marshall S. Horwitz, <i>The Adenovirus E3 14.7-Kilodalton Protein Which Inhibits Cytolusis by Tumor Necrosis Factor Increases the Virulence of Vaccinia Virus in a Murine Pneumonia Model</i> , J. of Virology, Vol. 68 No. 1, 453-62 (Jan. 1994)
	Anna-Marija Helt and Denise A. Galloway, <i>Mechnisms by which DNA tumor oncoproteins target the Rb family of pocket proteins</i> , Carcinogenesis, Vol. 24 No. 2, 159-69 (2003)
	Sathyamangalam Swaminathan and BayarThimmapaya, Transactivation of Adenovirus E2-early Promote by E1A and E4 6/7 in the Context of Viral Chromosome, J. Molecular Biology, Vol. 258, 736-46 (1996)
	Wilma T. Steegenga, et al., The large E1B protein together with the E4orf6 protein target p53 for active degredation in adenovirus infected cells, Oncogene, Vol. 16, 349-57 (1998)
	Konstantin Doronin et al., Tumor-Specific, Replication-Competent Adenovirus Vectors Overexpressing the Adenovirus Death Protein, J. of Virology, Vol. 74 No.13, 6147-55 (2000)
	Pierre A. Boulanger, and G. Eric Blair; Expression and interactions of human adenovirus oncoproteins, Biochemistry J. Vol. 275, 281-99 (1991)
	Silke Weigel and Matthias Dobbelstein, <i>The Nuclear Export Signal within the E4orf6 Protein of Adenovirus Type 5 Supports Virus Replication and Cytoplasmic Accumulation Of Viral mRNA</i> , J. of Virology, Vol. 74 No. 2, 764-72 (Jan. 2000)
	Keith N. Leppard, Regulated RNA Processing and RNA Transport during Adenovirus Infection, Seminars in Virology, Vol. 8, 301-07 (1998)
	Peter R. Mertens et al., Glomerular Mesangial Cell-specific Transactivation of Matrix Metalloproteinase 2 Transcription Is Mediated by YB-1, J. of Biological Chemistry, Vol. 272 No. 36. 22905-12 (1997)
	Ching-Yi Chen et al., Nucleolin and YB-1 are required for JNK-mediated interleukin-2 mRNA stabilization during T-cell activation, Genes & Development, Vol.14, 1236-48 (2000)
	Takefumi Ohga, et al., Role of the Human Y Box-binding Protein YB-1 in Cellular Sensitivity to the DNA-damaging Agents Cisplatin, Mitomycin C, and Ultraviolet Light, Cancer Research, Vol 56, 4224-28 (Sept 1996)

,Receipt date: 01/22/2008

10579543 - GAU: 1632 Serial No. 10/579,543 Docket No. 065477-0032

Information Disclosure Statement Page 6 of 6

/M.S./	Hiroto Izumi et al., Y box-binding protein-1 binds preferentially to single-stranded nucleic acids and exhibits 3'-5' exonuclease activity, Nucleic Acid Research, Vol. 29 No. 5, 1200 – 07 (2001)
	Per S. Holm et al. YB-1 Relocates to the Nucleus in Adenovirus-infected Cells and Facilitates Viral Replication by Inducing E2 Gene Expression through the E2 Late Promoter J. of Biological Chemistry, Vol. 277 No. 12, 10427-34 (Mar. 2002)
	Felicia D. Goodrum and David A. Ornelies, Roles for the E4 orf6, orf3, and E1B 55-Kilodalton Proteins in Cell Cycle-Independent Adenovirus Replication, J. of Virology, Vol. 73 No. 9, 7474-88 (Sept.1999)
	David M. Vigushin et al., Trichostatin A Is a Histone Deacetylase Inhibito with Potent Antitumor Activity agains Breast Cancer in Vivo, Clinical Cancer Research, Vol. 7, 971-76 (April 2001)
	Masaki Kitazono et al., Enhanced Adenovirus Transgene Expression in Malignant Cells Treated with the Histone Deacetylase Inhibitor, Cancer Research, Vol. 61, 6328-30 (Sept. 2001)
	Jerry Jaboin et al., MS-27-275, an Inhibitor of Histone Deacetylase, Has Marked in Vitro and in Viva Antitumor Activity against Pediatric Solid Tumors, Cancer Research, Vol. 62, 6108-15 (Nov. 2002)
	Peter Atadja et al., Selective Growth Inhibition of Tumor Cells by a Novel Histone Deacetylase Inhibitor, NVP-LAQ824, Cancer Research, Vol. 64, 689-95 (Jan. 2004)
	Mark R. Gilbert et al., <i>Phase I Clinical and Pharmacokinetic Study of Irinotecan in Adults with Recurrent Malignant Glioma</i> , Clinical Cancer Research, Vol. 9, 2940-49 (Aug. 2003)
	Rajeev Rajendra et al., Differential Effects of the Breast Cancer Resistance Protein on the Cellular Accumulation and Cytotoxicity of 9-Aminocamptothecin and 9-Nitrocamptothecin, Cancer Research, Vol. 63, 3228-33 (June 2003)
	Monica Binaschi et al., Relationship between Lethal Effects and Topoisomerase II-Mediated Double Stranded DNA Breaks Produced by Anthracyclines with Different Sequence Specificty, Molecular Pharmacology, Vol. 51, 1053-59 (1997)
	Injae Chung et al., Use of L-plastin promoter to develop an adenoviral system that confers transgene expression in ovarian cancer cells but not in normal mesothelial cells, Cancer Gene Therapy, Vol. 6 No. 2, 99-106 (1999)
	Ilana Braunstein, et al., Human Telomerase Reverse Transcriptase Promoter Regulation in National and Malignant Human Ovarian Epithelial Cells, Cancer Research, Vol. 61, 5529-36 (Jul. 2001)
	AS Majumdar et al., The telomerase reverse transcriptase promoter drives efficacious tumor suicide gene therapy while preventing hepatotixicity encountered with constitutive promoters, Gene Therapy Vol. 8, 568-78 (2001)
-	Matthias Dobbelstein et al., Nuclear export of the E1B 55k-Da and E4 34-kDa adenoviral oncoproteins mediated by a rev-like signal sequence, The EMBO J., Vol. 16 No. 14, 4276-84 (1997)
	Stuart A. Nicklin et al., Ablating Adenovirus Type 5 Fiber-CAR Binding and HI Loop Insertion of the SIGYPLP Peptide Generate an Endothlial Cell-Selective Adenovirus, Molecular Therapy, Vol. 4 No. 6, 534-42 (Dec. 2001)
	Henry K.Wong and Edward B. Ziff, Complementary Functions of E1a Conserved Region 1 Cooperate with Conserved Region 3 to Activate Adenovirus Serotype 5 Early Promoters, J. of Virology, Vol. 68 No. 8, 4910-20 (Aug. 1994)
EXAMINER	/Magdalene Sgagias/ DATE СОНЯ/РЕ/2508

DC01\130308.1 ID\MD